## **Syno**logy\*

**Product Manual** 

## **WRX560**



## **Table of Contents**

Chapter 1: Before You Start	2
1.1 Package contents	2
1.2 Synology Router at a glance	2
1.3 LED Indicator table	4
1.4 Hardware specification	4
1.5 Safety instructions	5
Chapter 2: Hardware Setup	7
2.1 Position your Synology Router	7
2.2 Set up your Synology Router	7
2.3 Use wireless devices to connect to your Synology Router	7
2.4 Use wired devices to connect to your Synology Router	8
Chapter 3: Set up Synology Router Manager	9

## Chapter 1: Before You Start

Thank you for purchasing this Synology product! Before setting up your new Synology Router, please check the package contents to verify that you have received the items below. Also, make sure to read the safety instructions carefully to avoid harming yourself or damaging your Synology Router.

#### Notes:

 All images below are for illustrative purposes only, and may differ from the actual product.

### 1.1 Package contents

Contact your reseller if your package is missing any of the below contents:

Main unit x 1



RJ-45 LAN cable x 1





### 1.2 Synology Router at a glance



No.	Name	Description					
1	USB 3.2 Gen 1 (Type-A) Port	Connect an external drives or other USB devices here.					
2	Wi-Fi Button	Press the button for 3 seconds to turn on/off the Wi-Fi network.					
3	WPS Button	Press to start WPS.					
4	STATUS Indicator	Displays the status of the system. For more information, see "LED Indicator Table".					
5	Wi-Fi Indicator	Displays the status of Wi-Fi connection. For more information, see "LED Indicator Table".					
6	WAN Indicator	Displays the status of WAN connection. For more information, see "LED Indicator Table".					
7	Power Button	Press to power on/off the Synology Router.					
8	Power Port	Connect the AC power adapter here.					
9	WAN Port	Connect a network cable from the ISP modem into this port to establish WAN connection.					
10	2.5G WAN/LAN Port	<ol> <li>Connect a network cable from the ISP modem into this port to establish WAN connection.</li> <li>Connect network cables into these ports to establish LAN connection.</li> </ol>					
11	LAN Port	Connect a network cable into this port to establish LAN connection.					
12	RESET Button	Press and hold for 4 seconds (Soft Reset) or for 10 seconds (Hard Reset).					

## 1.3 LED Indicator table

LED Indicator	Color	Status	Description		
	Green	Static	Powered on		
	Oreen	Blinking	System Ready		
STATUS Indicator	Orango	Static	Booting up/Rebooting/Hard Reset		
STAT 03 Indicator	Orange	Blinking	Mesh network disconnected		
	Green/Orange	Blinking	Searching device		
	Off		Powered off		
	Green	Static	Wi-Fi active		
Wi-Fi Indicator	Green	Blinking	WPS connecting		
	Off		No Wi-Fi		
	0	Static	Network connected		
WAN Indicator	Green	Blinking	Data transmitting		
	Off		Network disconnected		

## 1.4 Hardware specification

Item	WRX560				
External Port	USB 3.2 Gen 1 (Type-A) x 1				
WAN Port	• Gigabit WAN x 1 • Gigabit WAN x 1 and 2.5G WAN x 1 (Dual WAN)				
LAN Ports	<ul><li>Gigabit LAN x 3 and 2.5G LAN x 1</li><li>Gigabit LAN x 3 (Dual WAN)</li></ul>				
Size (H x W x D) (mm)	233 x 194 x 66				
Weight (kg)	1.35				
Wireless Standards	<ul><li>2.4GHz: 802.11 b/g/n/ax</li><li>5GHz: 802.11 a/n/ac/ax</li></ul>				

Operating Frequency Range	<ul><li>802.11ax (2.4GHz): Up to 600 Mbps</li><li>802.11ax (5GHz): Up to 2400 Mbps</li></ul>				
Wireless Operation Modes	Wireless Router				
	Wireless AP (Access Point)				
	<ul> <li>WPS support</li> <li>WPA2-Personal</li> </ul>				
	<ul> <li>WPA/WPA2-Personal</li> </ul>				
	<ul> <li>WPA2-Enterprise</li> </ul>				
Windless Constitu	<ul> <li>WPA/WPA2-Enterprise</li> </ul>				
Wireless Security	<ul> <li>Opportunistic Wireless Encryption (OWE)</li> </ul>				
	WPA3-Personal				
	<ul> <li>WPA3-Enterprise</li> </ul>				
	<ul> <li>WPA2/WPA3-Personal</li> </ul>				
Antono	• 2T2R Omni-directional high-gain dipole (2.4GHz)				
Antennas	• 4T4R Omni-directional high-gain dipole (5GHz)				
Buttons & Switches	• Power • WPS • Wi-Fi On/Off • Reset				
	• Line voltage: 100V to 240V AC				
	• Frequency: 50 / 60Hz				
Environment Requirement	<ul> <li>Operating Temperature: 40°F to 104°F (5°C to 40°C)</li> </ul>				
	• Storage Temperature: -5°F to 140°F (-20°C to 60°C)				
	• Relative Humidity: 5% to 95% RH				

#### Notes:

• Model specifications are subject to change without notice. Refer to Synology website for the latest information.

## 1.5 Safety instructions



• Keep away from direct sunlight and chemicals. Ensure a stable environment with no abrupt changes in temperature or humidity.



• Place the unit right side up at all times.



· Keep the unit away from liquids.



• Before cleaning, unplug the power cord(s) and use a damp cloth to wipe the surface. Do not use chemical aerosol cleaners.



• To prevent the unit from falling over, do not place it on carts or any unstable surfaces.



- When setting up this product, use only Synology-provided or designated cables, power cords, PSUs, and power adapters that adhere to local regulations and safety requirements. Ensure the power cord(s) are plugged into the correct power supply voltage and that the AC voltage provided is correct and stable. Failure to do so may result in malfunctions or fires.
- Do not use Synology-provided accessories on non-Synology products.



 Warning, electric shock hazard. To remove all electrical current from the device, ensure that all power cords are disconnected from the power source.



• There is a risk of explosion if the battery is replaced with an incorrect type. Dispose of used batteries appropriately.



 Power cord(s) must be plugged into a socket-outlet with earthing connection.



• Keep your body parts away from a moving fan.

## Chapter 2: Hardware Setup

### 2.1 Position your Synology Router

For optimal performance, it is recommended to position your Synology Router as advised below:

- On a stable surface (e.g., an elevated shelf) away from any possible physical interferences.
- Close to the center of the area where the wired/wireless client devices are placed, and within a visible distance from the wireless devices.
- In a position where few walls and ceilings are between your Synology Router and its client devices.
- Away from any potential electrical signal sources, such as other Wi-Fi routers, 3G/4G bases, and microwave ovens.
- Away from large expanses of metal or other materials, such as metal doors, glass panels, and concrete.

### 2.2 Set up your Synology Router

Use the included network cable to connect your Synology Router (at the WAN1 port) to the ISP modem. Connect one end of the power adapter to the power port on your Synology Router, and the other end to the power outlet. Press the power button to power on your Synology Router. Wait for up to two minutes until the STATUS and WAN LED indicators turn green.



## 2.3 Use wireless devices to connect to your Synology Router

When the Wi-Fi indicator has turned static green, Synology Router is ready to connect with other devices. Use your wireless device to scan and join the Wi-Fi network created by your Synology Router.

• From mobile device:

- 1. Scan the QR Code to download DS router.
- 2. Use the default credentials to connect to the Wi-Fi network. Then follow the wizard to set up Synology Router Manager (SRM).



- From laptop:
  - 1. Use the default credentials to connect to the Wi-Fi network.
  - 2. Set up Synology Router Manager (SRM) by following the steps in "Set up Synology Router Manager".

#### Notes:

The default credentials for the Wi-Fi network:

- Wi-Fi SSID: Synology\_(Serial)
   Serial is the last 6 digits of your Synology Router's serial number.
- Password: synology

You must change the password during the initial SRM setup.


## 2.4 Use wired devices to connect to your Synology Router

Use network cables to connect devices to the LAN ports. Then set up Synology Router Manager (SRM) by following the steps in "Set up Synology Router Manager".




# Chapter 3: Set up Synology Router Manager


- 1. Open a web browser, and enter either URL into the address bar:
  - http://router.synology.com
  - http://192.168.1.1:8000
- 2. Once connected, click Start to launch the SRM Setup Wizard.




3. Read through and tick the checkbox to confirm that you agree to the Synology End User License Agreement. Click **Next** to continue.



4. Read through the Privacy Statement. Click **Skip** or **Agree** to continue.



5. Fill in the information to set up the administrator account. Click Next to continue.




6. Fill in the information to set up a Wi-Fi network. Click **Apply** to continue.



7. The wizard will continue to set up your Synology Router, and it may take up to three minutes to complete the setup.



8. After the setup is complete, you can now sign in to SRM with the administrator account.



#### Notes:

- Above is a general demonstration of the SRM setup steps. The steps and available options may somewhat vary depending on your device type (PC or wireless device), access type (LAN, WAN, or Wireless LAN), and chosen operation mode (Wireless Router or Wireless AP).
- You can download DS router on your mobile device to manage your Synology Router from anywhere.

#### **Federal Communication Commission Interference Statement**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct theinterference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
  - Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Operations in the 5.15-5.25GHz band are restricted to indoor usage only.

This device meets all the other requirements specified in Part 15E, Section 15.407 of the FCC Rules.

#### **Radiation Exposure Statement:**

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Note: The country code selection is for non-US model only and is not available to all US model. Per FCC regulation, all WiFi product marketed in US must fixed to US operation channels only.

FCC regulations restrict the operation of this device to indoor use only.

Synology America Headquarters 3535 Factoria Blvd SE, Suite #200, Bellevue, WA 98006, USA

Tel: +1 425 818 1587

#### **Industry Canada statement:**

This device complies with ISED's licence-exempt RSSs. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d' ISED applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

#### **Caution:**

- (i) the device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;
- (ii) where applicable, antenna type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 shall be clearly indicated.

#### **Avertissement:**

Le guide d'utilisation des dispositifs pour réseaux locaux doit inclure des instructions précises sur les restrictions susmentionnées, notamment :

- (i) les dispositifs fonctionnant dans la bande 5150-5250 MHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;
- (ii) lorsqu'il y a lieu, les types d'antennes (s'il y en a plusieurs), les numéros de modèle de l'antenne et les pires angles d'inclinaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, énoncée à la section 6.2.2.3, doivent être clairement indiqués

#### **Radiation Exposure Statement:**

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with greater than 20cm between the radiator & your body.

#### Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements ISED établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à plus de 20 cm entre le radiateur et votre corps.

取得審驗證明之低功率射頻器材,非經核准,公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

低功率射頻器材之使用不得影響飛航安全及干擾合法通信; 經發現有干擾現象時, 應立即停用, 並改善無干擾時方得繼續使用。前述合法通信, 指依電信管理法規定作業之無線電通信。低功率射頻器材須受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

應避免影響附近雷達系統之操作。

設備名稱:802.11ax 無線路由器,型號(型式):WRX560 Equipment name Type designation (Type)								
	限用物質及其化學符號 Restricted substances and its chemical symbols							
單元 Unit	鉛Lead (Pb)	乘 Mercury (Hg)	鎬 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr+6)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)		
前後蓋	0	0	0	0	0	0		
印刷電路板及電子組件	_	0	0	0	0	0		
天線	0	0	0	0	0	0		
電纜線(Cable)	0	0	0	0	0	0		

備考1. "超出0.1 wt %"及 "超出0.01 wt %" 係指限用物質之百分比含量超出百分比含量基準值。

Note 1: "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. "○"係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2: "o" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. "一"係指該項限用物質為排除項目。

Note 3: The "-" indicates that the restricted substance corresponds to the exemption.

至 忍

#### **RED Compliance Statement**

#### $Compliance\ with\ 2014/53/EU\ Radio\ Equipment\ Directive\ (RED)$

In accordance with Article 10.8(a) and 10.8(b) of the RED, the following table provides information on the frequency bands used and the maximum RF transmit power of the product for sale in the EU:

Frequency Range (MHz)	Max. Transmit Power (dBm) EIRP
2412 ~ 2472	19.93 dBm
5180 ~ 5320	22.87 dBm
5500 ~ 5700	29.83 dBm

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

	AT	BE	BG	HR	CY	CZ	DK	
	EE	FI	FR	DE	EL	HU	IE	
<b>23</b> /	IT	LV	LT	LU	MT	NL	PL	
)	PT	RO	SK	SI	ES	SE	UK	UK(NI)

This device is restricted to indoor use

報驗義務人:群暉科技股份有限公司 新北市板橋區遠東路1號9樓



#### **Declaration Letter of REACH & RoHS Compliance**

#### **About REACH**

In June 2007, the European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) was first released. Under this Regulation, manufacturers are required to gather information on the properties of their chemical substances, which will allow their safe handling, and to register the information to European Chemicals Agency (ECHA). The aim is to improve the protection of human health and the environment through the better and earlier identification of the intrinsic properties of chemical substances.

#### About RoHS

RoHS Directive (EU Directive 2002/95/EC) was issued in 2002, restricted the use of the six chemicals lead, cadmium, mercury, and hexavalent chromium, as well as flame retardants polybrominated biphenyls (PBBs) and polybrominated dipheny ethers (PBDEs). Under this directive, manufacturers are required to replace these chemicals in their products with less hazardous alternatives.

Then RoHS 2.0 (Directive 2011/65/EU) has replaced Directive 2002/95/EC since January 3, 2013. In 2015, EU commission publishes Directive (EU) 2015/863 to amend Annex II to EU RoHS 2 (Directive 2011/65/EU) to add 4 phthalates (DEHP, BBP, DBP and DIBP) onto the list of restricted substances from 22 July 2019.

#### **REACH and RoHS Compliance**

Synology meets all requirements of the REACH Regulation and is compliant to all implemented RoHS type regulations worldwide. To the best of Synology's knowledge, all Synology products in production (including finished



products, spare parts, and packaging materials) are in compliance with the requirements of the Regulation and/or Directives. Synology continues to monitor, influence, and develop our processes to comply with any proposed changes to the Regulation and/or Directives.



#### **WEEE Directive**

The WEEE (Waste from Electrical and Electronic Equipment) directive was developed by the EU (European Union) to contribute to sustainable production and consumption of electrical and electronic equipment throughout the EU. As this directive has been incorporated into national legislation by EU member states, you should recycle or dispose of this product in accordance with any applicable local and national laws.

The European WEEE symbol on this product or its packaging indicates that this equipment must not be disposed of with your other household waste. Prior to disposal, lithium button batteries should be taken out of the equipment. Used equipment should be disposed of with relevant local authorities. Ensure that all of your personal data has been destroyed before you dispose of your equipment.

For more information about where you can drop off your end-of-life equipment for recycling, please contact your local government authority, your household waste disposal service or the shop where you purchased the product. Your participation is essential in reducing any potential effects of EEE on the environment and human health due to the presence of hazardous substances in EEE.